



EVOCARE AUSTRALIA PTY LIMITED

A.B.N. 98 078 566 604

Trading as **EVOCARE** and **L&M EQUIPMENT**

P.O. Box 1144, Stafford Qld. 4053

Ph: 07 3355 8000 Fax: 07 3355 5043

Website: <http://www.evocare.com.au>

Email: sales@evocare.com.au

workshop@evocare.com.au

warehouse@evocare.com.au

accounts@evocare.com.au



**Beds, Bedside Cabinets and Overbed
Tables**



Visit www.evocare.com.au

**Supplying Quality Healthcare needs to
Hospitals and Nursing Homes since 1978**

High for Carer, Low for Resident

[Click here for link to information on our website](#)

Style with Exceptional Height Range



Fast Adjustment

Height adjustment is very fast thanks to the powerful actuator motors; equipped with jamming protection even with the bed extended. Automatic height compensation ensures absolute horizontal and vertical movement in the bed.

LOW means SECURE and COMFY

A care bed can't be low enough for your residents – the lower, the better. Apart from the lower risk of falls, the possible injuries will be far less severe if a fall should occur. The lower lying surface also will also make it easier for many of your residents to climb in and out of the bed, as they have less of a height threshold to deal with. Plus: Lower beds also create a more comfy, homelike atmosphere.

THE HIGH SETTING is ergonomic and gentle on the back.

A bed cannot be high enough for carers; a high bed makes work easier and takes stress off the back, as you avoid bending over to work. Elvido-Vervo can be raised securely and safely to a stable 80cm patient surface height.

Hygienic Mattress Base

Robust, easy-care polypropylene mattress base with deep ventilation slits for breathability. The hygienic mattress base is removable and resistant to conventional cleaning agents

SPECIFICATIONS

Capacity:	250kg, Max. Lift 225kg
Length:	2120mm
Width:	998mm depends on head & foot board
High / Low:	250mm (low) 800mm (high)
Castors:	Covered, 50mm Twin Wheel Tente, with Central Locking
Lift Operation:	Fully electric 24V system
Backrest:	0 - 70°
Knee break:	0 - 40°
Finish:	Frame - Polyester Powder Coated Wooden surround with integrated side frames.



250mm to 800mm

The OpenBus has arrived – STANDARD

This care bed has come into the digital future: OpenBus enables networking and control for a variety of systems.

Optional - Linak drive system with 24 Volt power saving technology

Having the 240 Volts isolated away from the bed and only 24 Volt at the bed means a safer environment for resident and maintenance personal. The switch mode of this system means that unlike other electric beds there is no current flowing through the bed control box and motors until a hand control button is pressed - a substantial saving from not being on standby.

Options

Bed Extension 200mm
IR Remote Control
Under bed lighting
And many more options

Specially designed to meet a wide range of individual needs



Specially designed to meet a wide range of individual needs

Libra offers a maximum of choice and flexibility and can be customised to the smallest detail to meet every need of its resident and care staff. It comes with a choice of **4 different safety sides**, all of which fulfil different safety needs and facilitate mobility and independence.

[Always at the right height](#)

Libra is designed to give those in need of care a sense of security without impacting on their **independence**. One of the most effective ways to prevent falls without creating restrictions is to use a bed with a **low height**. For this reason, Libra can be lowered to a height of as little as approximately 25 cm. The risk of injury from a fall from such a low height is minimal.

[High ground clearance for easy cleaning](#)

Libra's streamlined signature chassis significantly add to its sophisticated look, and the castors' covers in particular add a highly contemporary touch. The 3 different chassis available for the Libra bed are designed to make it easy to wheel objects underneath them, and this also makes it easy to clean the floor.

[Flexible safety sides](#)

Safety sides are designed to **protect** people in need of care, but should not restrict their ability to get in and out of bed. Libra can be supplied with **4 different safety sides**, all of which are designed to perfectly meet the needs of the resident and care staff.

SPECIFICATIONS

Capacity:	250kg, Max. Lift 225kg
Length:	2094mm
Width:	1003mm depends on head & foot boards
High / Low:	250mm (low) 800mm (high)
Castors:	Covered, 50mm Twin Wheel, 2 x Locking
Lift Operation:	Fully electric 24V system
Backrest:	0 - 70°
Knee break:	0 - 40°
Finish:	Frame - Polyester Powder Coated Wooden surround with integrated side frames.



MobiFlex telescopic safety sides

[Energy-saving with low voltage](#)

All Libra models are supplied with **extra-low voltage** as standard. This is achieved with an external transformer that reduces the voltage directly at the power socket to 24 volts to ensure that there are no live 240 volt components near the resident. This not only increases **safety**, but also significantly helps to reduce energy costs and electromagnetic pollution and thereby protecting the **environment**.

[Options](#)

Bed Extension 200mm
Linen Holder
Under bed lighting
And many more options

EV9722 – Frail Pressure Care Mattress 2000 x 900 x 150

Vertica Care Bed

Early VERTICALisation begins with a sitting position



Rest is very important to recovery. While bed rest is good for patients, it also has been realized that patients need to be assisted to become active as early as possible. During the recovery period the patient is dependent on his own strength in combination with the help of staff to be mobilized. We believe that there must be another way to mobilize patients safely and support staff with this duty – we are therefore pleased to present you the Stiegelmeyer Vertica-Care bed: perfectly conceived and precisely engineered to the needs of both staff and patients.

Sitting – the first step to normality.

In modern care beds, patients can get into a comfortable sitting position with the help of an adjustable mattress base. Vertica goes one step further: the patient can not only sit comfortably, but also has a safe contact with the floor or a firm grip on a footrest – this means that the sensation of position and posture of the body via proprioceptors is supported in the muscles, tendons and joints of the legs. This increases well-being, stimulates the circulation and stimulates the VERTICALisation.



Easy standing up

It is only a small step from SITTING to STANDING. If residents manage to sit up in bed properly again, they have made the first step towards standing. With the Vertica, residents can be raised easily and fully controlled.

Standing Up made easy

The Vertica-Care mimics the natural sequence of movements to gently lift the patient from a prone to a sitting position, and from there to an upright position.

Sitting up faster

Patients can assume a genuine sitting position, which enables them to take meals or receive visitors in comfort. This brings them to the same eye-level as other people - good for their self-esteem. Independence and freedom of movement stimulate our feeling of wellbeing and help the recovery process.

SPECIFICATIONS

Capacity:	250kg, Max. Lift 225kg
Length:	2142mm
Width:	1038mm
High / Low:	400mm (low) 800mm (high)
Castors:	150mm Central Locking
Lift Operation:	Fully electric 24V system
Backrest:	0 - 70°
Knee break:	0 - 30°
Finish:	Colour Argentum Hygienic mattress base

Viscoelastic Foam Pad 2000 x 900 x 140mm

User-Friendly

You can fold away the MultiFlex side rails with the same minimal effort that was required to position them in the first place.

MultiFlex

The MultiFlex side rail system needs no instructions. Right from the start, care staff intuitively perform each step correctly to ensure that the patient feels secure from the outset.

The OpenBus has arrived – STANDARD

This care bed has come into the digital future: OpenBus enables networking and control for a variety of systems.

Westfalia Care

This bed looks very attractive and offers uncompromisingly high quality and durability.



With wooden surround with integrated side frames

SPECIFICATIONS

Capacity:	225kg
Length:	2120mm 2320mm (extended)
Width:	1020mm
High / Low:	260mm (low) 890mm (high)
Castors:	Covered, 50mm Twin Wheel Tente, with Central Locking
Lift Operation:	Fully electric 24V system
Backrest:	0 - 70°
Knee break:	0 - 30°
Finish:	Frame - Polyester Powder Coated Wooden surround with integrated side frames.



Westfalia Care Bed with KSG Side Rail, one side; DSG the other.

A nursing home room must be presented to a prospective resident with attractive and inviting furniture.

Because of space limitations it must be functionally – this has always meant a compromise between tasteful and clinical.

Burmeier have recognised this and are making clinical nursing beds that would be suitable in the most gracious home environment along with bedside cabinet overbed table combinations.

Mattress Height Adjustment – 260mm to 890mm

The innovative adjustment range of 630mm allows the nursing bed to be used as either a low-height bed or as a standard nursing bed.

The highest mattress position of 890mm allows nursing staff to work comfortably without stressing their backs.

Features:

- Mattress surface 900mm x 2000mm, 4-part, with easy to clean, robust steel slats, metal colour “Titanium”.
- Adjustable Back Support and Upper Leg Rest.
- Covered castors can be centrally locked regardless of the mattress position.
- Mattress surface with gliding back support reduces compression of the stomach.
- Wooden (beech) surround with integrated side frames.
- Selectively locking handset with auto-contour and locking of individual functions.

Linkak drive system with 24 Volt power saving technology


Having the 240 Volts isolated away from the bed and only 24 Volt at the bed means a safer environment for resident and maintenance personnel. The switch mode of this system means that unlike other electric beds there is no current flowing through the bed control box and motors until a hand control button is pressed - a substantial saving from not being on standby.

The Classic Care Bed

[Click here for link to information on our website](#)

Westfalia Klassik

The classic care bed for nursing homes



Robust, reliable and durable. This bed includes an impressive range of technical features: height adjustment from 35-80 cm, sliding backrest, safe working load of 200 kg, central castor locking, handset with selective disable function, standard 24-volt drive system etc.

A further plus point is that it also represents extremely good value for money. The ideal care bed for nursing homes.

Economic Efficiency

The price-performance ratio is exceptionally reasonable. Nevertheless there was no economizing concerning the construction and the material. Especially the use of high quality materials ensures Burmeier's quality philosophy.

Features:

- Mattress surface 900mm x 2000mm, 4-part, Mattress surface is easily cleaned metal slats.
- Mattress surface height adjustment from approx. 350 to 800mm, adjustment range 450mm
- Adjustable Back Support and Upper and lower Leg Rest.
- Beech finish with working timber areas melamine covered.
- Integrated side rails.
- Linak 24V drive systems.
- Selectively locking handset with locking of individual functions.

SPECIFICATIONS

Capacity:	200kg
Length:	approx 2080mm ~ 2170mm
Width:	1020mm
High / Low:	360mm (low) 800mm (high)
Castors:	4 x 100mm Tente, Central Locking
Lift Operation:	Fully electric 24V system
Backrest:	0 - 70°
Knee break:	0 - 35°
Finish:	Frame - Polyester Powder Coated



Westfalia Klassik with DSG Continuous Side Rails.

Linak drive system with 24 Volt power saving technology

Having the 240 Volts isolated away from the bed and only 24 Volt at the bed means a safer environment for resident and maintenance personal. The switch mode of this system means that unlike other electric beds there is no current flowing through the bed control box and motors until a hand control button is pressed - a substantial saving from not being on standby.

EV9722 – Frail Pressure Care Mattress 2000 x 900 x 150mm



Easy to assemble in a matter of minutes, this comfortable care bed in an attractive wood finish makes light work of caring. Westfalia III features electronically-adjustable back and upper-leg rests: The mattress base is also driven by an electric motor and can be adjusted from 40 cm, allowing patients to get out of bed safely, to 80 cm, an ergonomic working height for carers.

The four-part mattress base relieves pressure on the back and actively prevents bedsores. The chassis has individual castor-locking.

Features:

- Mattress surface 900mm x 2000mm, 4-part, Mattress surface is spring wood slats consisting of wood derived timber products whose surface has been sealed.
- Adjustable Back Support and Upper Leg Rest.
- High-quality and robust TENTE 125mm castors.
- Beech finish with working timber areas melamine covered.
- Integrated side frames.
- Linak 24V drive systems.
- Selectively locking handset with locking of individual functions.
- Safe working load: **175kg**.

SPECIFICATIONS

Capacity:	175kg
Length:	approx 2120mm
Width:	1030mm
High / Low:	400mm (low) 800mm (high)
Castors:	4 x 1250mm Tente, Individual Locking
Lift Operation:	Fully electric 24V system (240V input)
Backrest:	0 - 70°
Knee break:	0 - 35°
Finish:	Frame - Polyester Powder Coated



Westfalia III with DSG
Continuous Side Rails.




The wooden slats flex and roll for additional comfort.

EV9722 – Frail Pressure Care Mattress 2000 x 900 x 150mm

Three Beds - Three Widths

Allura Care

Very attractive beds with a favourable price / quality ratio.



Shown with optional timber end cover

SPECIFICATIONS

Mattress widths: **Allura - 900mm, Allura 100 - 1000mm, Allura Mighty - 1200mm**

Capacity: **250kg**
 Length: 2240mm
 High / Low: 300mm (low) 800mm (high)
 Castors: High-quality, rugged Tente castors
 Individually locking
 Lift Operation: Fully electric 24V system
 Backrest: 0 - 70°
 Knee break: 0 - 30°



Allura Mighty

Finish: Metal parts sealed with a polyester powder lacquer coating, colour topaz.
 Wooden surround with integrated side frames. Working timber areas melamine covered—0.6mm.

- EV9721** – (Mid) Pressure Care Mattress 2000 x 900 x 150
- EV9731** – (Mid) Pressure Care Mattress 2000 x 1000 x 150
- EV9743** – Maxi Pressure Care Mattress 2000 x 1200 x 180 (Bravo Cover)

A nursing home room must be presented to a prospective resident with attractive and inviting furniture.

Because of space limitations it must be functionally – this has always meant a compromise between tasteful and clinical.

Burmeier have recognised this and are making clinical nursing beds that would be suitable in the most gracious home environment along with bedside cabinet overbed table combinations.

Mattress Height Adjustment – 300mm to 800mm

The adjustment range of 500mm allows the nursing bed to be used as either a low-entry bed or as a standard nursing bed. The highest mattress position of 800mm allows nursing staff to work comfortably without stressing their backs. One bed for all cases.

Features:

- Mattress base with steel grating floor (applies to models Allura 100 and Allura-Mighty)
 “Allura” comes with springwood slats mattress base
- Selectively locking handset with auto-contour and robust construction
- Adjustable Back Support and Upper Leg Rest
- Wooden surround with integrated side frames in beech finish, including footend cover (except Allura 100)

Linac drive system with 24 Volt power saving technology

Having the 240 Volts isolated away from the bed and only 24 Volt at the bed means a safer environment for resident and maintenance personal. The switch mode of this system means that unlike other electric beds there is no current flowing through the bed control box and motors until a hand control button is pressed - a substantial saving from not being on standby.

Inovia Low Height Care Bed

Of benefit to those at risk of falling out of bed.



A nursing home room must be presented to a prospective resident with attractive and inviting furniture.

Because of space limitations it must be functionally – this has always meant a compromise between tasteful and clinical.

Burmeier have recognised this and are making clinical nursing beds that would be suitable in the most gracious home environment along with bedside cabinet overbed table combinations.

Mattress Height Adjustment – 220mm to 770mm

The adjustment range of 550mm allows the nursing bed to be used as either a floor line bed or as a standard nursing bed.

The highest mattress position of 770mm allows nursing staff to work comfortably without stressing their backs.

Features:

- 4-section mattress base (900 x 2000mm) or (1000 x 2000mm).
- Easy to clean, robust steel slats, metal colour “Titanium”.
- Adjustable Knee Break and Upper Leg Rest.
- Gliding back support reduces compression of the stomach.
- The castors can be locked in pairs, either front or back, regardless the mattress base position.
- Wooden surround (beech) with integrated side frames.
- Selectively locking handset with auto-contour and locking of individual functions.

Linak drive system with 24 Volt power saving technology

Having the 240 Volts isolated away from the bed and only 24 Volt at the bed means a safer environment for resident and maintenance personal. The switch mode of this system means that unlike other electric beds there is no current flowing through the bed control box and motors until a hand control button is pressed - a substantial saving from not being on standby.

SPECIFICATIONS – Inovia 4 Section Floor Line Bed

Capacity: **225kg**
 Length: 2220mm
 Width: 1040mm
 High / Low: 220mm (low) 770mm (high)
 Castors: 125mm Twin Wheel Tente (locked in pairs)
 Lift Operation: Fully electric 24V system
 Backrest: 0 - 70°
 Knee break: 0 - 30°
 Finish: Metal parts sealed with a polyester powder lacquer coating, colour Titanium.
 Wooden surround with integrated side frames.



Inovia in chair position

EV9721 – (Mid) Pressure Care Mattress 2000 x 900 x 150

EV9731 – (Mid) Pressure Care Mattress 2000 x 1000 x 150

DALI-LOW ENTRY 4 SECTION ELECTRIC BED Excellent quality / price ratio.



Shown with optional timber end cover

SPECIFICATIONS – Dali-Low Entry 4 Section Floor Line Bed

Capacity:	175kg
Length:	2160mm
Width:	1010mm
High / Low:	220mm (low) 620mm (high)
Castors:	Tente (total lock)
Lift Operation:	Fully electric 24V system
Backrest:	0 - 70°
Knee break:	0 - 35°
Finish:	Metal parts sealed with a polyester powder lacquer coating, colour Topaz. Wooden surround with integrated side frames.
Optional headend&footend timber covers	

EV9721 – (Mid) Pressure Care Mattress 2000 x 900 x 150



Stacked for Transport or storage:
Great for saving space.

A nursing home room must be presented to a prospective resident with attractive and inviting furniture.

Because of space limitations it must be functionally – this has always meant a compromise between tasteful and clinical.

Burmeier have recognised this and are making clinical nursing beds that would be suitable in the most gracious home environment along with bedside cabinet overbed table combinations.

Mattress Height Adjustment – 220mm to 620mm

The innovative adjustment range of 400mm allows the nursing bed to be used as either a floorline bed or as a standard nursing bed. The highest mattress position of 620mm allows nursing staff to work comfortably without stressing their backs. Having beds according to type of use is no longer necessary. One bed for all cases.

Features:

- 4-section mattress base (900 x 2000mm).
- Easy to clean, robust steel slats, metal colour “topaz”.
- Adjustable Back rest, Knee Break and Upper Leg Rest. (Sit up chair position)
- Gliding back support reduces compression of the stomach.
- The castors can be individually locked.
- Wooden surround (beech) with integrated side frames.
- Selectively locking handset with auto-contour and locking of individual functions.
- Transport kit included.
- 10 year guarantee on bed frame and 3 year guarantee on motors.

Safe working load: **175kg**.

Linak drive system with 24 Volt power saving technology

Having the 240 Volts isolated away from the bed and only 24 Volt at the bed means a safer environment for resident and maintenance personal. The switch mode of this system means that unlike other electric beds there is no current flowing through the bed control box and motors until a hand control button is pressed - a substantial saving from not being on standby.

The Affordable Care Bed

[Click here for link to information on our website](#)

ECONOMIC II

Quality and Durability.



The "Economic II" care bed is sturdily constructed to stand up to the rigours of daily nursing care. High-quality components make this a particularly durable, robust and low-maintenance care bed that significantly reduces follow-on costs.

COST-EFFECTIVE/ Easily assembled by just one person

This bed offers exceptional value for money, but not at the expense of materials or design. Uncompromising use of high-quality materials is a hallmark of the Burmeier philosophy. The care bed can be assembled and disassembled by one person without tools in a matter of minutes.

Bed on the storage aid

The bed can be transported without problems even in small places. It consists of two end boards (head and foot section); a mattress surface frame which is divided in the middle; four side rail beams and a self-help pole with grip handle. The bed stands on four steerable, individually-locking casters.

Features:

- Mattress surface 900mm x 2000mm, 4-part, Mattress surface is spring wood slats consisting of wood derived timber products whose surface has been sealed.
- Adjustable Back Support and Upper Leg Rest.
- Lowered foot section to facilitate chair position
- Stackable for storage and transport
- 4 x 100mm High-quality and robust TENTE castors.
- Beech finish with working timber areas melamine covered.
- Integrated side frames.
- Linak 24V drive systems.
- Selectively locking handset with locking of individual functions.

SPECIFICATIONS – Economic II 4 Section Floor Line Bed

Capacity:	185kg
Length:	2120mm
Width:	1010mm
High / Low:	400mm (low) 800mm (high)
Castors:	4 x 100mm Tente individual locking
Operation:	Fully electric 24V system (240V input)
Backrest:	0 - 70°
Knee break:	0 - 35°
Finish:	Metal parts sealed with a polyester powder lacquer coating.



Stacked for Transport or storage:
Great for saving space.

EV9721 – (Mid) Pressure Care Mattress 2000 x 900 x 150

Combination Bedside Locker & Overbed Table

This style of Bedside Locker is a big **space saver** in a resident's room and also removes a tripping hazard.



EV94B5HE
Hermann Bedside Locker



EV94B5AR
Arminius Bedside Locker

Double Sided Access

With drawer and cabinet access from either side, the locker can be placed alongside the bed and on the side away from that which the resident uses to get in/out of bed.

With the locker being double sided this can be either side.

In this position there is easy access for the resident to the drawer and cabinet without twisting, also easy access to the top for a teacup, glasses, book, phone, etc. without twisting.

With the locker placed permanently beside the bed, access is easy.



EV94B5CH
Cherusker Bedside Locker

The body and front panels are in plastic-coated beech finish.

[Click here for link to information on our website](#)



www.evocare.com.au

Phone:07 33558000 Fax:07 33555043

Overbed Table

[Click here for link to information on our website](#)

EV5202CP Premium Hospital Overbed Table



Table Top reaches well over bed



Lever Lock height adjustment

Features

- The wide table tops are 765 x 365 x 13mm (they reach well over the bed)
 - The tops are Australian made using 13mm compact laminate.
 - Compact laminate has dimensional self supportive strength and is resistant to moisture, humidity, scratch, boiling water, impact, dry heat etc
 - 50mm twin wheel castors for good manoeuvrability, 2 x swivel, 2 locking.
 - Spring loaded height adjustment with lever action.
 - Single handed height adjustment with **lever** lock mechanism.
 - Finish: Painted base, chrome column and compact laminate.
 - Tables can be shipped flat packed —for easy assembly.
- ARTG No: 208845

An Evocare Overbed Table's construction allows for easy cleaning.

Specifications	
Table Top Dimensions:	765mm x 365mm x 16mm
High / Low Adjustment:	715mm to 1145mm
Safe Working Load (SWL):	10kg
Overbed Table Weight:	9kg

Hospital Model Codes	
EV5202CP	Compact Laminate — Parchment — 13mm



www.evocare.com.au

Phone:07 33558000 Fax:07 33555043

Vendlet Patient Turning System

Vendlet - Easy, Gentle, Safe Handling of Patients in Bed

[Click here for link to information on our website](#)



How VENDLET Works

The turn sheet is rolled around 2 motorised bars on each side of the bed.

By activating the hand control the turn sheet rolls around one bar and thereby repositions or turns the patient to one side.

An easy one person job.



Ease of Daily Care Routines

VENDLET makes repositioning of patients in bed an easy one person job at the touch of a button. There will be improved care giver productivity and no more manual handling.

Easy Attachment to Most Beds

VENDLET is easily attached to most hospital and nursing home beds and works as an integrated part of the bed.

VENDLET does not restrict the bed nor have a negative impact on the efficiency of alternating air mattresses.

A Comprehensive View of the Patient's Needs

The uniform and gentle procedure ensures patient comfort and a positive contact between care giver and patient. The care giver has a comprehensive view of the procedure making it possible to support the patient's needs during the procedure.

Improved Care Giver Productivity

VENDLET simplifies planning of the daily care routines because the patient in many situations can be handled by one person.

Note: When mounted on the bed frame, VENDLET does not affect the other functions of the bed.



www.evocare.com.au

Phone:07 33558000 Fax:07 33555043

PRESSURE CARE DELUXE MATTRESS

[Click here for link to information on our website](#)

3 Pressure Relieving Mattresses for different weight users.

One for users with low weight	Frail	EV971 2
One for the average user	Mid	EV971 1
One for the heavy user	Maxi	EV971 3



Frail and Standard mattresses 150mm high, 3 layers

Maxi (Bariatric) 180mm high, 4 layers

Cover:

- 2-Way stretch, vapour permeable,
- waterproof, zipped 3 sides,
- with waterfall flap

Specially selected grades of foam in three layers (four for Maxi) create a mattress suitable for the type of user and give a good balance between weight (% indentation) and firmness (hardness).



Mattress Foam Layers	
Position	Type
Top	Pressure relieving top layer
Middle	1 or 2 Comfort layers,
Bottom	Comfort layer, (more dense)
Side	Support layer and edge support

 **Evocare**[®]
www.evocare.com.au

Phone:07 33558000 Fax:07 33555043